



C&E SERIES SPECIFICATIONS

MODEL	CY252			CYH52		EXR52 F	EX252 K	
	CY252 M	CY252 P	CY252 Q	CYH52 S	CYH52 W			
WEIGHT								
Gross Vehicle Weight (GVW)	(kg)	33,000			41,000		20,000 (Tractor Only)	33,000 (Tractor Only)
Gross Combination Mass (GCM)	(kg)						45,000	60,000
ENGINE								
Model	6WG1-TCN							
Type	6-Cylinder, In-Line, Blue Power Diesel Engine with Turbo intercooler							
Bore and Stroke	(mm)	Ø 147 x 154						
Displacement	(cc)	15,681						
Max. Output KW (PS)/rpm	(ISO Gross)	309 (420) / 1,800						
Max. Torque N-m (kg-m)/rpm	(ISO Gross)	1,863 (190) / 1,300						
Fuel Tank Capacity	(Liter)	200	400	200	400	400 (Option: 550)		
TRANSMISSION								
Model	Standard	MIT7S (7-Speed)					MIX16P (16-Speed)	
	Option	MIX16P (16-Speed)					N/A	
TIRE & WHEEL								
Tire		11.00R20-16PR		295 / 80R22.5		11.00R20-16PR		295 / 80R22.5
BRAKE								
Service	Full Air, Auto Adjust							
Auxiliary	Exhaust Brake with Service Brake			Trailer Hand Brake / Exhaust Brake with Service Brake				
Parking	Wheel Park							
SUSPENSION								
Front	Multi Leaf & Taper Leaf					Taper Leaf		
Rear	(Multi Leaf for Dump Usage)					Multi-Leaf		Taper Leaf
ELECTRICAL SYSTEM								
Battery	Specification	115F51 x 2						
SAFETY								
Anti-Lock Braking System (ABS)	Equipped							
Speed Limiter	80 km/h							
CONVENIENCE								
Cab Window	Power Windows							
Cab Door	Auto Door Lock							
Air Conditioning	Equipped							
Radio with Speakers	Equipped							

C-SERIES



E-SERIES



CAB AND CHASSIS DIMENSIONS (mm)

MODEL	WB	OAL	FOH	ROH	CE	CA	OW	AW	BW	CW	OAH	HH	EH
CY252 M	5,225	8,140	1,400	1,535	5,385	4,470	2,490	2,065	2,480	1,850	2,990	250	1,150
CY252 P	5,550	8,315	1,400	1,380	6,160	4,795	2,490	2,065	2,480	1,850	2,990	250	1,150
CY252 Q	5,935	9,775	1,400	2,440	7,020	5,180	2,490	2,065	2,480	1,850	2,970	250	1,180
CY252 T	6,665	13,250	1,400	3,180	9,095	5,910	2,490	2,065	2,480	1,850	2,970	250	1,165
CYH52 S	6,500	9,315	1,400	1,415	7,165	5,750	2,490	2,065	2,480	1,850	3,005	250	1,140
CYH52 W	7,410	10,780	1,400	1,970	8,625	6,655	2,490	2,065	2,480	1,850	3,005	250	1,125
EXR52 F	3,600	5,971	1,400	971	3,816	2,845	2,490	2,065	2,480	1,850	2,950	250	1,080
EX252 K	4,855	6,746	1,400	661	4,595	3,930	2,490	2,065	2,480	1,850	2,950	250	1,105


WEIGHTS (kg)

MODEL	TRANSMISSION	USAGE	RATINGS GVW	C-SERIES			GVW	FRONT	REAR	PAYLOAD
				CAB AND CHASSIS MASS	FRONT	REAR				
CY252 M	MIT7S	DUMPER	33,000	8,525	4,500	4,025	24,475			
	MIX16P	DUMPER		8,605	4,500	4,055	24,995			
CY252 P	MIT7S	CONCRETE MIXER	33,000	8,200	5,595	4,105	24,500			
	MIT7S	DUMPER		8,610	5,525	4,085	24,990			
CY252 Q	MIX16P	CARGO/TRACTOR	33,000	8,700	4,580	4,170	24,300			
	MIT7S	CARGO/TRACTOR		9,100	4,590	4,510	23,900			
CY252 Q	MIT7S	FULL TRACTOR	33,000	9,100	4,590	4,510	23,900			
	MIX16P	FULL TRACTOR		9,190	4,645	4,545	23,810			
CY252 T	MIT7S	CARGO	41,000	9,340	4,730	4,730	23,800			
	MIT7S	CARGO		9,740	6,140	3,600	31,260			
CYH52 S	MIX16P	DUMPER	41,000	9,830	6,205	3,625	31,170			
	MIT7S	CARGO		10,225	6,370	3,655	30,755			
EXR52 F	MIT7S	SEMI TRACTOR	20,000	6,785	4,525	2,240	45,000			
	MIX16P	SEMI TRACTOR		6,850	4,570	2,280	45,000			
EX252 K	MIX16P	SEMI TRACTOR	33,000	8,465	4,810	3,855	60,000			

C-SERIES



E-SERIES



Dealership:

ISUZU
Your responsible partner

ISUZU PHILIPPINES CORPORATION

114, Tandang Sora Ave., Quezon II, Lungsod ng Marikina, Rizal, Laguna Road
Treasurer: (0432) 411 0000 / 411 0001
Email: customerservice@isuzu.com.ph



ISUZU C&E SERIES

BLUEPOWER
EURO II

BUILT TO MOVE



C-SERIES Rigid Trucks

CYZ52 | GVW (33,000 Kgs)
420 PS
6x4



CYH52 | GVW (41,000 Kgs)
420 PS
8x4




E-SERIES Tractor Heads

EXR52 F | GVW (20,000 Kgs)
GCM (45,000 Kgs)
420 PS
4x2



EXZ52 K | GVW (33,000 Kgs)
GCM (60,000 Kgs)
420 PS
6x4



ENGINES

6WG1-TCN
Power: 420 PS
Torque: 1,863 N-m

The 6WG1-TCN Euro V Compliant Blue Power Diesel Engine makes you feel the difference – ensuring high and powerful outputs with cleaner emissions.

EXR52 F, EXZ52 K, CYZ52, CYH52



Excellent Durability




Bigger Payload Capacity

The C&E Series covers a wide variety of applications, designed to handle all kinds of work under tough conditions. These include the concrete mixer, dump truck, and hauling trailer, among others. The bigger the load capacity that it can carry, the higher the productivity.



Safety



Convenience





Spacious Cab Interior

The truck's ergonomic air suspension seats, covered overhead shelf, cool air-conditioning, and superior audio system are specifically designed for maximum driver and passenger comfort.



Tilting And Telescopic Steering Wheel

This is our way of letting you be comfortable behind the wheel, while powering through your day-to-day tasks. Adjust the wheel, however you see fit for your driving needs.



Quick Access Panel

Designed for easy maintenance, conveniently pull up the access panel located in front of the cab for fluid and valve inspections.



High Visibility Meters

Take control of your ride with its highly visible and easy-to-spot dashboard meters.

