ISUZU N-SERIES







GVW (4,200 Kgs) 106 PS Applicable to 10-ft rear body



GVW (4,490 Kgs) 124 PS Applicable to 10-ft rear body







GVW (4,490 Kgs) 124 PS Applicable to 10-ft rear body

NQR75L

GVW (8,500 Kgs)

155 PS Applicable to 18-ft rear body



GVW (4,490 Kgs)

106 PS Applicable to 14-ft rear body



GVW (4,490 Kgs)

124 PS Applicable to 14-ft rear body



NPR85K

GVW (6,500 Kgs)

124 PS Applicable to 16-ft rear body



Smoother

As one of the world leaders in the automotive industry, Isuzu advocates to always provide comfort and efficiency to its customers by bringing the latest state of the art technology in their products. Isuzu offers another reliable, comfortable and efficient light-duty truck in the Philippines, NLR85ES with Smoother Automated Manual Transmission (AMT). Equipped with an intelligent gear shifting system that allows manual transmission to function like an Automatic Transmission (AT) without the need to step on a clutch pedal.



EASY TO DRIVE

Like an AT, Isuzu Smoother is easy to use and can be driven by anyone. This is a technology that has been very popular in Japan for more than 10 years.



ECONOMICAL

a. Fuel Efficiency

Smoother transmission is proven fuel efficient. The system achieves automatic shift change and appropriate gear position by computer control, making it fuel efficient compared to a manual and automatic transmission.

Equipped also with ECONO mode function wherein gear shifting will be earlier and at lower RPM, making it more fuel efficient.

b. Lower Maintenance Cost

Smoother transmission also reduces cost of maintenance and downtime due to easier maintenance, eliminating the need to adjust and replace clutch system.



No downtime for clutch maintenance.



SAFE OPERATION

Makes it easier to control the vehicle especially in heavy traffic conditions or driving up and down a steep slope. This reduces the fatigue of driving, because you don't have to wait, step on the clutch and change gears.





Sustainable Business & Transport Operations

With over 100 years of Japanese innovation, Isuzu has continually been at the forefront of truck evolution, introducing several iconic models now renowned for being reliable and efficient. As a result of Isuzu's mission to become the global leader in commercial vehicles, companies in all over 120 countries now rely upon Isuzu trucks that can withstand any challenges in business and transport operations. In the Philippines, Isuzu has been committed in helping the society by providing the latest and advanced transport solution. With that, Isuzu became the number 1 truck brand for over 21 consecutive years in the country and is still continuously striving to improve the quality of services to its customers.

One of Isuzu's strongest products in the market are the N-Series models, which set a record in the country by topping the light-duty truck category since 1999 due to its high capacity of serving the business and transport requirements of various industries. Isuzu N-Series with Euro IV-compliant engines, produces cleaner emission with BluePower Technology that helps make Isuzu N-Series more powerful, yet economical and environmentally friendly.

Isuzu's 10-Point Advantage

As a company that put its customers at the center, Isuzu continues to provide unrivaled customer support with Isuzu's 10-Point advantage:

- 1. Nationwide Dealer Network
- 2. Nationwide parts availability
- 3. Expert World-Class Engineers
- 4. Expert Service Technicians and Truck Executives (Truck Elite)
- 5. An unmatched 3 years or 150,000 kms warranty coverage
- 6. Mobile Medic for roadside assistance
- 7. Training programs for drivers and mechanics
- 8. Extensive fleet management system
- 9. Fuel eco-driving training
- 10. All-around customer assistance



Isuzu N-Series, the right truck for your industry, crafted to be suitable for whatever purpose you need.



Fuel Efficiency

Every trip is a practical one with Isuzu's Euro IV Blue Power Diesel Engines. Feel the difference as it maximizes power output, while producing cleaner emissions.



The cab design assures better aerodynamic flow which ensures better fuel efficiency during long trips.

Comfort & Convenience



New Cab Tilt Indicator

The N-Series tilt variant comes with new Cab Tilt Indicator System to increase safety in operations.



High Visibility Meter, Warning Lights and Switches

Evening driving becomes safer with better instrument illumination and positioning.







Spacious Cab Interior

The interior has ample space and ergonomically-designed seats that are optimal for all-around driving conditions.

Tilting and Telescopic Steering Wheel

Drivers can find their optimal steering wheel position to ensure maximum comfort and safety.



Drivers now have the advantage and convenience of USB Charger. *Not applicable to QLR77E

Rigidity

The sturdier design promotes maximum safety and comfort.



Strong Underframe Its sturdy underframe secures the whole cab

and its passengers.



Improved Reinforcement The improved cab reinforcement provides safe and sturdier rides.



Integrated to 850mm wide*

the most demanding of business needs.


High Axle Capacity Transporting heavy load through short or long trips won't be a problem.





The stronger chassis build can accomodate a variety of body applications that can cater to

Comes with either 5-speed or 6-speed MT/AMT.

				N-SERI	ES (TRUCK) SPECIFICATIONS					
MODEL		OLDER NON THE	0107757117				MARGELL	MDDGEK	NODZE	
		QLR77E NON-TILT	QLR77E TILT	NLR77H	NLR85E	NLR85ES SMOOTHER	NMR85H	NPR85K	NQR75L	
ENGINE									4HK1-TCN	
Model		4JH1-TC 4JJ1-TCC								
Туре		4-Cylinder, Turbo-Intercooler, Common-Rail Direct Injection Euro IV, Blue Power Diesel Engine							T	
Bore and Stroke	(mm)				Ø 95.4 x 104.9			Ø 115 x 125		
Displacement	(cc)				2,999		5,193			
Max. Output KW (PS)/rpm	(ISO Gross)	77 (106.0) / 3,200				91 (124.0) / 2,600				
Max. Torque N- m (kg-m)/rpm	(ISO Gross)		230 (23.5) / 1,400-3,200	00-3,200 354 (36.0) / 1,500			419 (42.0) / 1,600 - 2,600			
Fuel Tank Capacity	(Liter)	7	5	100		75	100			
TRANSMISSION										
Model			MSB5S		МҮҮ5М	MYY6S (Automated Manual Transmission)	MYY5M		MYY6S	
Final Gear Ratio		4.8	375	5.125		4.3	5.857		5.571	
TIRE & WHEEL										
Tire				7.50-15-12PR			7.00-15-12PR	7.50-16-12PR	7.50-16-14PR	
Number of Tires				5 (Five) Including spare tire	7 (Seven) Including spare tire					
BRAKE										
Service		Drum Type, Vacuum								
Auxiliary		- Exhaust Brake								
Parking		Center Brake								
SUSPENSION										
Front and Rear					Multi-L	eaf Spring				
ELECTRICAL SYSTE	M									
Battery		95D31Lx1			65D23Lx2	80D26Lx2	65D2	80D26Lx2		
Alternator		12V-80A 12V-60A 24V-90A								
CONVENIENCE										
Audio										
USB Charger Port		· Equipped								
Air-Conditioning	system	Optional								
Cab Window		Mar			Power Window					
Cab Door		Manual Central Door Lock								
Cab Tilting Buzze		- Equipped Equipped								
Reverse Warning	buzzer		. 1		Equ	ippea	l a OW	2		







DIMENSIONS (mm)										
MODELS	OAL	ОАН	WB	FOH	ROH	CE	CA	ow	BW	cw
QLR77E	4,675	2,190	2,490	1,095	1,090	3,117	2,027	1,815	1,605	1,395
NLR77H	6,020	2,190	3,345	1,110	1,565	4,457	2,892	1,815	1,605	1,395
NLR85E	4,730	2,190	2,475	1,110	1,145	3,167	2,022	1,815	1,605	1,395
NLR85ES (SMOOTHER)	4,730	2,190	2,475	1,110	1,145	3,167	2,022	1,815	1,605	1,395
NMR85H	6,020	2,190	3,345	1,110	1,565	4,457	2,892	1,815	1,855	1,425
NPR85K	6,635	2,255	3,815	1,110	1,710	4,952	3,242	2,040	2,115	1,650
NOR75L	7,355	2.310	4.175	1.110	2.070	5.672	3,602	2.040	2.115	1.650

			WEIGHT (kg)						
MODELS	RATINGS	CAB AND CHASSIS MASS	FRONT	REAR	GROSS PAYLOAD				
WODELS	GVW	CAD AIVE CITASSIS IVIASS	TROWT	NEAR					
QLR77E	4,200	1,770	1,300	470	2,430				
QLR77E NON-TILT	4,200	1,755	1,285	470	2,445				
NLR77H	4,490	1,860	1,325	535	2,630				
NLR85E	4,490	1,850	1,340	510	2,640				
NLR85ES (SMOOTHER)	4,490	1,880	1,360	520	2,610				
NMR85H	4,490	2,070	1,460	610	2,420				
NPR85K	PR85K 6,500		1,575	820	4,105				
NQR75L	8,500	2,760	1,745	1,015	5,740				
RODY APPLICATIONS									





for product details





114 Technology Ave., Phase II, Laguna Technopark, Biñan, Laguna, 4024 Trunkline (049) 541-0224 to 26 / (632) 7757-6070

